


| ITEM NO. | QTY. -041 | PART NUMBER | DESCRIPTION | JOHN CAMERON AVIATION PART NUMBER |
|----------|--------------|--------------|---------------------------|--------------------------------------|
| 1 | X | D4006-041 | TANK TOP SUPPORT ASSEMBLY | JCA-M47-2-01 |
| 2 | 1 | D4006-1 | ANGLE | |
| 3 | 2 | D4006-3 | CHANNEL | |
| 4 | 1 | D4006-5 | FOAM | |
| 5 | 4 | MS20426AD3-4 | RIVET | |
| 6 | 8 | MS20470AD4 | RIVET | |
| 7 | 2 | MS21059-4 | ANCHOR NUT | |




D4006-041 TANK TOP SUPPORT ASSEMBLY

RELEASED
2010-05-05
MB

- NOTES:
- 1) MATERIAL: N/A
 - 2) FINISH: POWDER COAT "GREY SANDTEX" (4.3.5.6) PER DART QSI 005 4.3 BEFORE INSTALLATION OF D4006-5 FOAM AND MS21059-4 ANCHOR NUTS
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4006-041" AND B/N USING FINE POINT PERMANENT INK MARKER
 - 7) WEIGHT: 0.47 lbs

| | | | |
|--|-------------|------------------------|----------|
| A | NEW ISSUE | BY | 10.02.05 |
| REV. | DESCRIPTION | BY | DATE |
| DESIGN | | | |
| DRAWN | | | |
| CHECKED | | | |
| MFG. APPR. | | | |
| APPROVED | | | |
| DE APPR. | | | |
| DATE | 10.02.05 | | |
| DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA | | REV. A SHEET 1 OF 6 | |
| DRAWING NO. D4006 | | SCALE NTS | |
| TITLE UPPER RESTRAINT | | NTS | |
| COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD. | | | |






| DART AEROSPACE PART NUMBER | JOHN CAMERON AVIATION PART NUMBER |
|-------------------------------|--------------------------------------|
| D4006-1 | REF JCA-M47-2-01 |

- NOTES:
- 1) MATERIAL: MADE FROM D4006-1F
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 0.23 lbs

| | | | |
|--|----------|--|--------------|
| DESIGN | | DART AEROSPACE LTD | |
| DRAWN | | HAWKESBURY, ONTARIO, CANADA | |
| CHECKED | | DRAWING NO. | REV. A |
| MFG. APPR. | | D4006 | SHEET 2 OF 6 |
| APPROVED | | TITLE | SCALE |
| DE APPR. | | UPPER RESTRAINT | NTS |
| DATE | 10.02.05 | COPYRIGHT © 2010 BY DART AEROSPACE LTD | |
| THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD. | | | |

| DART AEROSPACE PART NUMBER | JOHN CAMERON AVIATION PART NUMBER |
|-------------------------------|--------------------------------------|
| D4006-3 | REF JCA-M47-2-01 |



D4006-3 CHANNEL

RELEASED
2010-05-05
[Signature]

- NOTES:
- 1) MATERIAL: MADE FROM D4006-3F
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 0.08 lbs

| | | | |
|------------|----------|---|--------------|
| DESIGN | | DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA | |
| DRAWN | | | |
| CHECKED | | DRAWING NO. | REV. A |
| MFG. APPR. | | D4006 | SHEET 4 OF 6 |
| APPROVED | | TITLE | SCALE |
| DE APPR. | | UPPER RESTRAINT | NTS |
| DATE | 10.02.05 | COPYRIGHT © 2010 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small> | |

D

D

C


C

B

B

A




A




D4006-3F FLAT PATTERN

RELEASED
2010-05-05
MAD





- NOTES:
- 1) MATERIAL: 2024-T3 ALUMINUM SHEET, 0.063 THICK
PER QQ-A-250/4 OR AMS-QQ-A-250/4
OR AMS 4037 OR ASTM B209
REF DART SPEC M2024T3S.063
 - 2) FINISH: N/A
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 0.08 lbs

| | | | |
|---|---|--|--------------|
| DESIGN |  | DART AEROSPACE LTD | |
| DRAWN | | HAWKESBURY, ONTARIO, CANADA | |
| CHECKED |  | DRAWING NO. | REV. A |
| MFG. APPR. | | D4006 | SHEET 5 OF 6 |
| APPROVED |  | TITLE | SCALE |
| DE APPR. | | UPPER RESTRAINT | NTS |
| DATE | 10.02.05 | COPYRIGHT © 2010 BY DART AEROSPACE LTD | |
| THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD | | | |



| DART AEROSPACE PART NUMBER | JOHN CAMERON AVIATION PART NUMBER |
|-------------------------------|--------------------------------------|
| D4006-5 | REF JCA-M47-2-01 |

- NOTES:
- 1) MATERIAL: BLACK NEOPRENE/EPDM/SBR BLEND SHEET, 0.125 THICK
PER ASTM D 1056 GRADE 2A1 OR SAE J-18 GRADE 2A1
REF DART SPEC M-4111N-S.125
 - 2) FINISH: N/A
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 0.08 lbs

| | | | |
|--|---|--|--------------|
| DESIGN | | DART AEROSPACE LTD | |
| DRAWN | | HAWKESBURY, ONTARIO, CANADA | |
| CHECKED |  | DRAWING NO. | REV. A |
| MFG. APPR. |  | D4006 | SHEET 6 OF 6 |
| APPROVED |  | TITLE | SCALE |
| DE APPR. |  | UPPER RESTRAINT | NTS |
| DATE | 10.02.05 | COPYRIGHT © 2010 BY DART AEROSPACE LTD | |
| THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD. | | | |